

CLAIMS

What is claimed is:

1 1. A method comprising:

2 receiving a request to prove that a platform possesses
3 cryptographic information from a certifying manufacturer; and
4 performing a direct proof by the platform to prove that the
5 platform possesses the cryptographic information, the direct
6 proof comprises a plurality of exponentiations each being
7 conducted using an exponent having a bit length no more than
8 one-half a bit length of a modulus (n).

1 2. The method of claim 1, wherein the bit length of the
2 exponent being at most 160 bits in length.

1 3. The method of claim 1, wherein the modulus (n) being over
2 1000 bits in length.

1 4. The method of claim 1, wherein the bit length of the
2 exponent being a constant value despite any increase in value of
3 the modulus (n).

1 5. The method of claim 1, wherein the bit length of the
2 exponent being less than one-eighth the bit length of the
3 modulus (n).

1 6. The method of claim 1, wherein the plurality of
2 exponentiations conducted are of the form $h^t \bmod P$, where "h" is
3 a unique number, "t" is randomly chosen between an interval
4 between 0 and W, "P" is a large prime number, and W is a number
5 between 2^{80} and the square root of n.

1

1 7. A method comprising:

2 receiving a request to prove that a platform possesses
3 cryptographic information from a certifying manufacturer; and
4 performing a direct proof by the platform to prove that the
5 platform possesses the cryptographic information, the direct
6 proof comprises a plurality of exponentiations each being
7 conducted using an exponent remaining constant despite an
8 increase in a bit length of a modulus (n).

1 8. The method of claim 7, wherein the bit length of the
2 exponent being less than one-sixth of the bit length of the
3 modulus (n).

1 9. The method of claim 7, wherein the bit length of the
2 exponent being at most 160 bits in length.

1 10. The method of claim 9, wherein the modulus (n) being over
2 1000 bits in length.

1 11. The method of claim 7, wherein each of the plurality of
2 exponentiations conducted are of the form $h^t \bmod P$, where "h" is
3 a unique number, "t" is randomly chosen between an interval
4 between 0 and W, "P" is a large prime number, and W is a number
5 between 2^{80} and the square root of n.

1 12. The method of claim 11, wherein the value "t" is of a form
2 $y^e \bmod n$, where "e" is a public exponent and "y" is either a
3 random or pseudo-randomly chosen number within an interval
4 ranging from 0 to n.

1

1 13. A method comprising:

2 receiving a request for information by a cryptographic
3 device; and

4 proving in a single direct proof that a value was signed by
5 a signature key without revealing the value, the single direct
6 proof comprises a plurality of exponentiations of which all of
7 the plurality of exponentiations are conducted using a fixed
8 exponent substantially less in bit length than a bit length of a
9 modulus (n).

1 14. The method of claim 13, wherein the bit length of the
2 exponent being at most 160 bits in length.

1 15. The method of claim 14, wherein the modulus (n) is over
2 1000 bits in length.

1 16. The method of claim 13, wherein the bit length of the fixed
2 exponents associated with the exponentiations are a constant
3 value despite any increase in value of the modulus (n).

1 17. A platform comprising:

2 a bus;
3 a network interface card coupled to the bus; and
4 a processor coupled to the bus; and
5 a trusted platform module coupled to the processor, in
6 response to a challenge received over the network interface
7 card, the trusted platform module to perform a direct proof in
8 order to prove that the trusted platform module has a digital
9 signature from a device manufacturer and the digital signature
10 is valid without revealing the digital signature, the direct
11 proof comprises a plurality of exponentiations each being

12 conducted using an exponent having a bit length no more than
13 one-half a bit length of a modulus (n).

1

1 18. The platform of claim 17, wherein the direct proof
2 performed by the trusted platform module is conducted with the
3 bit length of each exponent associated with all of the plurality
4 of exponentiations being at most 160 bits in length.

1 19. The platform of claim 17, wherein the direct proof
2 performed by the trusted platform module is conducted with the
3 bit length of each exponent associated with all of the plurality
4 of exponentiations being a constant value despite any increase
5 in value of the modulus (n).